



Table of Contents

Why Choose Us.....	3
Door Options	4
Entry Door Configurations	7
Door Construction.....	8
EnLiten™ Flush-Glazed Designs.....	9
Decorative Glass	10
Specialty Glass.....	12
Full-Glass Options.....	14
3/4-Glass Options	18
2/3-Glass Options.....	20
1/2-Glass Options.....	22
Oval Options.....	26
Craftsman Options.....	28
Center Arch Options.....	30
Fan Lite, Twin Lite & Camber	
Top Options.....	34
Solid Panel.....	36
Pulse. Options	40
Sidelites	42
Transoms	46
A Complete Door System	48
Hardware Options	50
Multi-Point Locking System.....	51
Stain Options.....	52
Paint Options	53
Frame Options	54
Accessories	55
Hinged Patio Doors	56
Storm Doors	58
Product Details.....	59



Door Options

Choose from our many fiberglass doors to create an entry that complements the architectural style of your home. Options include wood-grained, stained or smooth, painted surfaces.

Classic-Craft® Premium Entryways

These premium fiberglass entryways come in four wood grains or a smooth surface that all rival the look of custom wood. Classic-Craft entry doors are rated a *Consumers Digest* Best Buy.



Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels*



Classic-Craft Premium Door



Standard Fiberglass Door



Premium – right down to the edge.
A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge.
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

Classic-Craft®
American Style Collection™

Classic-Craft®
Mahogany Collection™

Classic-Craft®
Rustic Collection™

Classic-Craft®
Oak Collection™

Classic-Craft®
Canvas Collection®

Door Options

Fiber-Classic® Doors

Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.



Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.

Fiber-Classic®
Mahogany
Collection™


Fiber-Classic®
Oak Collection™

Smooth-Star®


Entry Door Configurations

Configure a beautiful look to suit your home.


Single Doors



Multiple Doors



Transoms



Entry Door Configurations

Right: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL

Door Construction



Classic-Craft® Premium Entryways

1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

Fiber-Classic® & Smooth-Star® Doors

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



EnLiten™ Flush-Glazed Designs

For Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Modern-Style Front Entry



Colonial-Style Utility Door



Traditional-Style Patio Doors

Durable by design.

Double-or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.



Decorative Glass

Classic-Craft®

Villager™



Brushed Nickel

Black Nickel

Privacy Rating 1 5 10



Homeward™



Brushed Nickel

Black Nickel

Privacy Rating 1 4 10



Augustine®



Wrought Iron

Privacy Rating 1 10



Bella™



Black Nickel

Privacy Rating 1 6 10



Arborwatch®




Brushed Nickel

Black Nickel

Privacy Rating 1 6 10



Longford™



Brushed Nickel

Black Nickel

Privacy Rating 1 8 10



Cambridge™



Brushed Nickel



Brass

Black Nickel

Privacy Rating 1 8 10



Lucerna®



Brushed Nickel

Black Nickel

Privacy Rating 1 7 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Decorative Glass

Fiber-Classic® & Smooth-Star®

Blackstone™




Brushed Nickel

Black Nickel

1 7 10
Privacy Rating



Maple Park™



Brushed Nickel

Black Nickel

1 6 10
Privacy Rating



Saratoga™



Brushed Nickel

Black Nickel

1 7 10
Privacy Rating



Wellesley™



Brushed Nickel



Brass

Black Nickel

1 6 10
Privacy Rating



Riserva™



Wrought Iron

1 10
Privacy Rating



Concorde™



Brushed Nickel




Brass

Black Nickel


1 8 10
Privacy Rating



Pembroke™



Brushed Nickel



Brass

Black Nickel

1 7 10
Privacy Rating



Axis™



Black Nickel

1 7 10
Privacy Rating



Decorative Glass

Specialty Glass

Geometric (XG)



Privacy Rating **7**



Satin Etch (XE)



Privacy Rating **10**



Chord (XC)



Privacy Rating **10**



Chinchilla (XJ)



Privacy Rating **10**



Rainglass (XR)



Privacy Rating **8**



Granite (XN)



Privacy Rating **10**




Internal Blinds



Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.

In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



SDL Bar Options

Classic-Craft



Note: Some door styles use a combination of 4- $\frac{1}{4}$ " and 5- $\frac{1}{2}$ " divider bars. Look for the (SDLF5) and (DDBF5) designations.

Fiber-Classic Smooth-Star



(28.6 mm / 1.125 in.)
Look for the (SDL)
designation.

Smooth-Star



(28.6 mm / 1.125 in.)
Look for the (SDLF1)
designation.

Fiber-Classic



(88.9 mm / 3.5 in.)
Look for the (SDLF2)
designation.

Smooth-Star



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.



Full-Glass Options

Full-Glass Options

Classic-Craft®

All doors available in 6'8" height and 36" width.



Homeward

CCM9925, CCR9925, CC9925, CCV9925

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 36" width.



Geometric Glass
CCA2400XG ●



Privacy / Low-E
3-Lite SDLF4
CCA2300 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
4-Lite SDLF4
CCA2310 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
5-Lite SDLF3
CCA2320 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
6-Lite SDLF3
CCA2330 ●
(XG, XC, XJ, XR, XN, LE)




Privacy / Low-E
7-Lite SDLF3
CCA2340 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
3-Lite SDLF5
CCA2350 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
4-Lite SDLF5
CCA2360 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
8-Lite SDLF5
CCA2380 ●
(XG, XC, XJ, XR, XN, LE)



Privacy / Low-E
2-Lite SDLF4
CCA2370 ●
(XG, XC, XJ, XR, XN, LE)

Full-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Blackstone
FCM108, FC108, S6002



Maple Park
FCM900, FC900, S6100



Saratoga
FCM905, FC905, S154



Wellesley
FCM104, FC104, S155



Riserva
FCM574, FC574, S574



Concorde
FCM910, FC910, S6090



Pembroke
FCM6550, FC6550, S6550



Axis
FCM1652, FC1652, S1652




Internal Blinds
FCM141, FC141, S130

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®
EnLiten™ Flush-Glazed Designs



15-Lite SDL*
2050, S2050 ▲



15-Lite GBG
2050, S2050 ▲




Privacy / Low-E
2000, S2000 ▲
(XG, XE, XC, XJ, XR, XN, LE)



Full-Glass Options

Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM900, Sidelites – FCM812SL



3/4-Glass Options

Classic-Craft®

All doors available in 6'8" height and 36" width.



Bella
CCM210B



Longford
CCM303




Cambridge
CC96, CCV05026



Lucerna
CCM204

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Blackstone
FCM765, FC765, S975



Maple Park
FCM902, FC902, S6102



Saratoga
FCM907, FC907, S6092



Wellesley
FCM147, FC147, S6091



Riserva
FCM543, FC543, S543



Concorde
FCM912, FC912, S912



Pembroke
FCM6582, FC6582, S6582



Axis
FCM1647, FC1647, S1647



Low-E 12-Lite GBG
FCM82, FC82, S82



Low-E / Clear
FCM32, FC32, S80





2/3-Glass Options

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 36" width.



Homeward
CCR9919, CCV9919



Homeward
CCR9918, CCV9918



Augustine
CCR20537, CCV20537



Augustine
CCR20037



Longford
CCR20523, CCV20523



Longford
CCR20023, CCV22023



Cambridge
CCR20526, CCV20526



Cambridge
CCR20026, CCV22026



Lucerna
CCR20522, CCV20522



Lucerna
CCR20022, CCV22022



1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Blackstone
FCM109, FC109, S6000



Blackstone
FCM6032, S6032



Blackstone
FCM6052, S6052



Maple Park
FCM901, FC901, S6101

Note: Product images show exterior side of door.



Maple Park
FCM6107, S6107



Maple Park
FCM6108, S6108



Saratoga
FCM906, FC906, S213



Saratoga
FCM6029, S6029



Saratoga
FCM6049, S6049



Wellesley
FCM105, FC105, S214



Wellesley
FCM6030, S6030



Wellesley
FCM6050, S6050



Riserva
FCM581, FC581, S581



Riserva
FCM575, S575

1/2-Glass Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Riserva
FCM577, S577



Concorde
FCM911, FC911, S426



Concorde
FCM6026, S6026



Concorde
FCM6046, S6046



Pembridge
FCM6560, FC6560, S6560



Pembridge
FCM6565, S6565



Pembridge
FCM6568, S6568



Axis
FCM1654, FC1654, S1654



Axis
FCM1656, S1656



Internal Blinds
FCM678, FC678, S132

Note: Product images show exterior side of door.



Internal Blinds
FCM6035, S6035



Internal Blinds
FCM6055, S6055



Privacy / Low-E
FCM62, FC62, S206
(XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
FCM6021, S6021
(XE, XC, XJ, XR, XN, LE)



**Privacy / Low-E
9-Lite SDL***
2150, S2150
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
FCM6041, S6041
(XE, XC, XJ, XR, XN, LE)



9-Lite GBG
FCM65, FC65, S262



9-Lite GBG
FCM6022, S6022



9-Lite GBG
FCM6042, S6042

**Fiber-Classic®
& Smooth-Star®**
EnLiten™ Flush-Glazed Designs



Oval-Glass Options

Classic-Craft®

All doors available in 6'8" height and 36" width.



Bella
CCM710B



Bella
CC113B



Longford
CCM703




Cambridge
CC76

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Lucerna
CCM702



Blackstone
FCM110, FC714, S771



Blackstone
FCM164, FC164, S6085



Wellesley
FCM106, FC713, S774



Wellesley
FCM163, FC163, S6082



Lucerna
CC78



Concorde
FCM916, FC916, S773



Concorde
FCM915, FC915, S6084



Pembridge
FCM6577, FC6577, S6577



Pembridge
FCM6575, FC6575, S6575



Craftsman Options

Classic-Craft®

EnLiten™ Flush-Glazed Designs

All doors available in 6'8" height and 36" width.



Villager
CCA212



Homeward
CCA211



Homeward
CCV911



Arborwatch
CCA9100

Classic-Craft American Style Collection, Homeward Glass, Door – CCA211, Sidelites – CCA3401SL, Transom – HWRT, Dentil Shelf



Privacy / Low-E
CCA210 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
3-Lite SDL
CCA230 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
4-Lite SDL
CCA240 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
6-Lite SDL
CCA260 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
CCV910 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
2-Lite SDL
CCV920 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
3-Lite SDL
CCV930 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
4-Lite SDL
CCV940 🍷
(XC, XJ, XR, XN, LE)



Privacy / Low-E
6-Lite SDL
CCV960 🍷
(XC, XJ, XR, XN, LE)

Dentil Shelves

Classic-Craft.



American Style 4-Block



American Style 16-Block



Canvas 4-Block

Craftsman Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Maple Park
FCM609, S609



Saratoga
FCM602, S602



Riserva
FCM508, S508



Pembroke
FCM6520, S6520



Privacy / Low-E
FCM601, S601
(XE, XC, XJ, XR, XN, LE)



**Privacy / Low-E
2-Lite SDL***
FCM605, S605
(XE, XC, XJ, XR, XN, LE)



**Privacy / Low-E
3-Lite SDL***
FCM606, S606
(XE, XC, XJ, XR, XN, LE)



**Privacy / Low-E
4-Lite SDL***
FCM607, S607
(XE, XC, XJ, XR, XN, LE)



**Privacy / Low-E
6-Lite SDL***
FCM608, S608
(XE, XC, XJ, XR, XN, LE)

Note: Product images show exterior side of door.

Smooth-Star® EnLiten™ Flush-Glazed Designs



Privacy / Low-E
S4810 ●
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
2-Lite SDLF1*
S4812 ●
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
3-Lite SDLF1*
S4813 ●
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
4-Lite SDLF1*
S4814 ●
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
6-Lite SDLF1*
S4816 ●
(XG, XE, XC, XJ, XR, XN, LE)

Dentil Shelves

**Fiber-Classic. &
Smooth-Star.**



Mahogany 4-Block*



Smooth 4-Block*



Craftsman Options

Smooth-Star, Chord Glass with SDLs, Door – S608XC



Center Arch-Glass Options

Classic-Craft®

All doors available in 6'8" height and 36" width.



Bella
CCM810B, CC112B



Longford
CCM803




Cambridge
CC16



Lucerna
CCM822, CC822

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Blackstone
FCM760, FC801, S6111



Maple Park
FCM904, FC904, S6105




Saratoga
FCM909, FC909, S20



Wellesley
FCM125, FC125, S6117



Riserva
FCM506, FC506, S506



Concorde
FCM914, FC914, S17



Pembroke
FCM6532, FC6532, S6532



Fan Lite, Twin Lite & Camber Top Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.



Maple Park
FCM736, FC736, S736



Saratoga
FCM707, FC707, S707



Wellesley
FCM721, FC721, S721



Concorde
FCM735, FC735, S735



Pembridge
FCM745, FC745, S745



Low-E GBG
FCM752, FC752, S752

Note: Product images show exterior side of door.



Concorde
FC917, S454



Low-E GBG
FC23, S255



Privacy / Low-E
FCM61, FC61, S296
(XE, XC, XJ, XR, XN, LE)



Fan Lite, Twin Lite & Camber Top Options

Smooth-Star, Wellesley Glass, Door – S721



Solid Panel

Classic-Craft Rustic Collection, Door – CCR205; Low-E Glass, Sidelites – CCR3400SL

Solid Panel

Note: Product images show exterior side of door.

Classic-Craft®

All doors available in 6'8" height and 36" width.



1-Panel Shaker
CCA1100



4-Panel Shaker
CCA1145



2-Panel Craftsman Shaker
CCA1125



2-Panel Square Top Shaker
CCA1127



6-Panel
CCM60, CC60, CCV060



2-Panel Plank Soft Arch
CCR205, CCV205



2-Panel Soft Arch
CCR200
(Shown with optional Clavos
& Strap Hinges)



2-Panel 3/4 Top
CC91, CCV200



2-Panel Square Top
CCV220



5-Panel
CCV050

Note: Clavos & Strap Hinges are shown on page 55.

Solid Panel

Note: Product images show exterior side of door.

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.

Solid Panel



3-Panel Square Top
FCM31, FC31



2-Panel Square Top
FCM220, S220



1-Panel Shaker
S1100



2-Panel Square Top Shaker
S120




2-Panel Soft Arch
S200



2-Panel Plank Soft Arch
FCM205, S205



4-Panel Square Top
FC808, S960



2-Panel Craftsman Shaker
S4800



8-Panel
FCM134, FC134, S11



6-Panel
FCM60, FC60, S210

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
Note: Styles available as 20 Minute Fire Door option with Ball-Bearing Hinges.

**20-Minute
Fire Door***



2-Panel Craftsman Shaker
SSF4800

**Steel Edge 90-Minute
Fire Doors***



2-Panel Square Top
SE978HD



2-Panel Soft Arch
SE1005HD



6-Panel
SE210HD



Solid Panel

Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S2010SL, Transom – 19220T



Pulse® Options

Fiber-Classic® & Smooth-Star®

All doors available in 6'8" height and 32", 34" and 36" widths.

Ari



Pembridge
FCM2PB, FC2PB, S2PB



Axis
FCM2AX, FC2AX, S2AX



Privacy / Low-E
FCM2, FC2, S2
(XG, XE, XC, XJ, XR, XN, LE)

Línea



Pembroke
FCM1LPB, FC1LPB, S1LPB



Pembroke
FCM1RPB, FC1RPB, S1RPB




Axis
FCM1LAX, FC1LAX, S1LAX



Axis
FCM1RAX, FC1RAX, S1RAX



Privacy / Low-E
FCM1L, FC1L, S1L
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
FCM1R, FC1R, S1R
(XG, XE, XC, XJ, XR, XN, LE)

Echo



Axis
FCM5LAX, FC5LAX, S5LAX



Axis
FCM5RAX, FC5RAX, S5RAX



Privacy / Low-E
FCM5L, FC5L, S5L
(XG, XE, XC, XJ, XR, XN, LE)



Privacy / Low-E
FCM5R, FC5R, S5R
(XG, XE, XC, XJ, XR, XN, LE)



Sidelites

Classic-Craft®

EnLiten™ Flush-Glazed Designs

Sidelites available in 6'8" height and 12" and 14" widths.



Homeward
CCA3401SL ▲,
CCM9925SL ▲,
CCR9925SL ▲



Homeward
CC9925SL ▲, CCV911SL ▲



Bella
CCM3410BSL ▲,
CC2080BSL ▲,
CCV104BSL ▲



Longford
CCM3403SL ▲,
CCR3407SL ▲,
CCV103SL ▲



Cambridge
CCR3406SL ▲,
CC2044SL ▲,
CCV106SL ▲



Lucerna
CCM3412SL ▲,
CCR3412SL ▲,
CC3412SL ▲,
CCV3412SL ▲


Sidelite Configurations

Configure a beautiful look to suit your home.



Fiber-Classic® & Smooth-Star®

Sidelites available in 6'8" height and 10", 12" and 14" widths.




Granite Privacy Glass

CCM3400XNSL ▲,
CCR3400XNSL ▲,
CCV100XNSL ▲



Blackstone

FCM808SL ■ ●,
FC108SL,
S4570SL ■ ●



Maple Park

FCM812SL ■ ●,
FC900SL,
S6131SL ■ ●



Saratoga

FCM815SL ■ ●,
FC905SL,
S602SL ■ ●



Wellesley

FCM818SL ■ ●,
FC104SL,
S5870SL ■ ●



Riserva

FCM572SL ■ ●,
FC573SL,
S572SL ■ ●



Privacy / Low-E

CCA3400SL ▲,
CCV100SL ▲
(XC, XJ, XR, LE)



Concorde

FCM809SL ■ ●,
FC910SL,
S4070SL ■ ●



Pembroke

FCM6500SL ■ ●,
FC6550SL,
S6500SL ■ ●



Axis

FCM1651SL ■ ●,
FC1652SL,
S1651SL ■ ●



Internal Blinds

FCM1286SL ■ ●,
FC141SL, S6128SL ■ ●



Privacy / Low-E

FCM12101 ■ ●,
FC47, S601 ■ ●
(XE, XC, XJ, XR, XN, LE)

Sidelites

Fiber-Classic® & Smooth-Star®

Sidelites available in 6'8" height and 10", 12" and 14" widths.



Low-E 5-Lite GBG

FCM12102SL ■●, FC18SL, S1170SL ■●

Note: Product images show exterior side of sidelite.

Fiber-Classic® & Smooth-Star® EnLiten™ Flush-Glazed Designs



Low-E 5-Lite SDL*

2050SL ▲, S2010SL ▲●



Low-E 5-Lite GBG

2050SL ▲, S2010SL ▲●



Low-E / Clear

2000SL ▲, S2000SL ▲●






Sidelites

Classic-Craft Rustic Collection, Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos

Transoms

All Transoms are special order. Please contact your Seal-Rite Representative for sizing, availability and pricing.

Single Door with Transom




LE



LE GBG White

Single Door with Sidelite & Transom




LE



LE GBG White

Double Door with Transom




LE



LE GBG White

Note: Transoms can be stained or painted to match a Classic-Craft, Fiber-Classic or Smooth-Star door system. An intermediate header is highly recommended. Transoms are shipped uninstalled from double door units.

Single Door with Sidelites & Transom



HWRT Homeward



BERT-B Bella



LFRT Longford



CC920T Cambridge



LCRT Lucerna



BSRT Blackstone



FWRT Maple Park



19750T Saratoga



19730 Wellesley



RSRT Riserva



CNRT Concorde



PBRT Pembridge



AXRT Axis




LE Special Quote



LE Special Quote

A Complete Door System

A Therma-Tru® door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system – from the glass to the hinges – made to perform as good as it looks.





① Frame Options

We can help you choose the right frame for your door system.



② Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.




③ Hardware

Choose from beautiful options that will complement the look of your home and help bring you security and peace of mind.



④ Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly. Standard on Classic-Craft, Smooth-Star and Steel Doors.



⑤ 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.




⑥ Composite Adjustable Sills

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.



⑦ Dual-Bulb / Dual-Fin Bottom Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.



⑧ Seal-Rite Exact Size Sidelite Units

Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes from 1"-3" in width per mullion to help create an entry door system to fit the opening of your home.

Hardware Options

Styles shown in Satin Nickel but are available in all 4 finishes



Handlesets



F58 Camelot Ext.
x F59 Georgian Int.
Camelot Backplate



F58 Addison Ext. x
F59 Accent Int.
Addison Backplate



F58 Plymouth Ext.
x F59 Plymouth Int.

Levers

Accent



Flair



Knobs

Georgian



Plymouth



Deadbolts



B60

Electronic Lock

BE469NX
Century Electronic DB
(not available in Bright Brass)



Finish Options



Matte Black



Aged Bronze



Satin Nickel



Bright Brass

Multi-Point Locking Systems (MPLS)

Lever-Style MPLS

(Highly recommended for 8'0" and double fiberglass doors. Not available for steel doors.)

Exterior Handlesets



Heirloom

Venture

Millennium

Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

Standard Door Options




Tongue



Shootbolt

(For door systems with an astragal.)



Exterior view of door with lever-style MPLS.

Finish Options



Bright Brass

Brushed Nickel

Black Nickel


Oil-Rubbed Bronze

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Grip-Style MPLS

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not available for steel doors.)

Handlesets



Interior

Interior

Forte

Prospect

Standard Door Options



Tongue

Heights:
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



Interior view of door.

Finish Options



Brushed Nickel

Black Nickel

Oil-Rubbed Bronze

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Seal-Rite Finishing System

A premium, high-performance finishing technology offering 30 popular paint colors, 12 rich stain colors and custom color matching to ensure your door complements the style and architecture of your home. Our professional finishing process is complete with a catalyzed top coat, making the finish durable and strong. We protect your investment and honor a 10-year limited warranty on every Seal-Rite finished door.



Finished for Lasting Beauty

Handcrafted and professionally applied, a PrismaGuard finish is built to last, giving your customers confidence and peace of mind.

- ❶ It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- ❷ A base coat provides an even, consistent color across the surface of the door.
- ❸ A wiping stain enhances the base coat to reflect the natural beauty of wood.
- ❹ A durable topcoat enhances the color while protecting against scratches and color fading.
- ❺ A second application of the topcoat provides added durability.



10 YEAR
LIMITED
WARRANTY

10-Year Warranty



Durable Topcoat



Professional Application

Stain Options



Wildflower Honey



Rustic Clay



Barley



New Earth



Autumn Harvest



Redwood



Mulberry



Bark



Driftwood



Timber



Raven



Shale

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard warranty and exclusions. All trademarks are property of their respective owners.

Paint Options



Note: Custom color matching available.

Frame Options



- Is a 12 mil rigid PVC film bonded with permanent waterproof exterior polyurethane glue to the Dura-Frame™ substrate system.
- Durable: Thick, rigid, impact-resistant PVC finish. Permanent waterproof adhesive.
- Two Finishes: Available in UV resistant white and embossed tan.

Dura-Tech™ Finishes:



Embossed
Factory Stained



UV Resistant
White Stipple Finish



Dura-Tech™ White



Dura-Tech™ Wood Grain Stain



Frontline® Deluxe Clad

Note: White and Sandstone are stocked.
Additional colors available by special order.



The perfect complement for your maintenance-free entry doors. Recognized for its ease of application, we offer five nosing profiles in twelve colors. This attractive .062 extruded aluminum, known as the "Classic Clad" entry system, is designed for new or existing construction.

The "Classic Clad" product does not have any exposed fasteners, does not require any painting, will not dent or wave like roll formed material and is more durable than vinyl.



- Made of Alaskan Yellow Cypress wood, one of the planet's most durable rot-resistant woods.
- Finger jointed to the bottom of a premium pine frame component.
- End-sealed with DURA-SEAL™, and primer coated with DURA-PRIME™ for exceptional value and rot-free performance.
- Can be coil clad to match exterior trim and protect the jamb from weather elements.
- Aluminum trim coil with a PVC coating.
- Protects exterior door jamb from weather.
- Available in 10 stock colors.
- Less maintenance than a painted or stained wood jamb.



Accessories


Kick Plates



Satin Nickel



Brass



Aged Bronze

Mail Slots



Satin Nickel



Brass



Aged Bronze

Peep Sites



Satin Nickel



Brass



Aged Bronze

Door Knockers



Satin Nickel



Brass



Aged Bronze

Pet Door



Clavos & Strap Hinge



1 1/2" 1 1/4" 1" 1 3/4" 1 1/4" 1"



18"

Dentil Shelves

Classic-Craft.



American Style 4-Block



American Style 4-Block



American Style 16-Block



Canvas 4-Block

Fiber-Classic® & Smooth-Star.



Mahogany 4-Block*



Smooth 4-Block*

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: Dura-Tech™, Dura-Frame™, Dura-Seal™, Dura-Prime™ and Frontline® are not covered under Therma-Tru's warranty. See www.sealritedor.com/warranties for warranty information. Finish colors may vary from an actual application due to fluctuations in finishing or printing.

Hinged Patio Doors


Low-E Internal Blinds



Available Door Collections

Fiber-Classic, Mahogany / Fiber-Classic, Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations




EnLiten™ Flush-Glazed Low-E Glass with Simulated Divided Lites



Available Door Collections

Classic-Craft, Fiber-Classic, Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations



EnLiten™ Flush-Glazed Low-E Grilles Between Glass



Available Door Collections
Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations



EnLiten™ Flush-Glazed Low-E Glass



Available Door Collections
Classic-Craft® / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations



Sliding Screen Available for double and triple door applications that feature a single operating door. Inswing applications only. Only available in 6'6", 6'8" and 8'0" heights.



Top Hung Wide Profile Screen

Features a 3" wide aluminum profile that glides easily along the top track with recessed handleset.

Screen Colors



White
Stocked

Bronze
Special Order




Storm Doors



Full View
149-FV Clear Glass



Double Bevel
149-BV Clear Glass



Full View Screen Away
146-FV Clear Glass



Mid View Screen Away
146-MV

Standard Colors



White

Sandstone

Black

Brown

Special Order Colors



Almond

Cranberry

Green

Handleset Options



Brushed
Nickel



Brass



Aged
Bronze



Antique
Brass



White



Sandstone



Brown

Note: Entry doors can be ordered to match the color of the storm door. Discuss options with your sales representative.